

TablesDescription.txt

mysql> describe actor;

| Field | Type | Null | Key | Default | Extra |
|---------|---------------|------|-----|---------|-------|
| id | int(8) | NO | PRI | | |
| name | varchar(200) | YES | MUL | NULL | |
| surname | varchar(200) | YES | | NULL | |
| sex | enum('M','F') | YES | | NULL | |

4 rows in set (0.02 sec)

mysql> describe actor2movie;

| Field | Type | Null | Key | Default | Extra |
|-------|--------------|------|-----|---------|-------|
| actor | int(8) | NO | PRI | 0 | |
| movie | int(8) | NO | PRI | 0 | |
| role | varchar(200) | YES | | NULL | |

3 rows in set (0.09 sec)

mysql> describe actorsaka;

| Field | Type | Null | Key | Default | Extra |
|------------|--------------|------|-----|---------|-------|
| actor | int(8) | YES | | NULL | |
| akaname | varchar(200) | NO | PRI | | |
| akasurname | varchar(200) | NO | PRI | | |

3 rows in set (0.05 sec)

mysql> describe akaname;

| Field | Type | Null | Key | Default | Extra |
|------------|--------------|------|-----|---------|-------|
| akaname | varchar(200) | NO | PRI | | |
| akasurname | varchar(200) | NO | PRI | | |

2 rows in set (0.01 sec)

mysql> describe akatitle;

| Field | Type | Null | Key | Default | Extra |
|-------|--------------|------|-----|---------|-------|
| title | varchar(200) | NO | PRI | | |

1 row in set (0.05 sec)

mysql> describe altversion;

| Field | Type | Null | Key | Default | Extra |
|---------|----------|------|-----|---------|-------|
| id | int(8) | NO | PRI | | |
| version | longtext | YES | | NULL | |

2 rows in set (0.05 sec)

mysql> describe altversion2movie;

| Field | Type | Null | Key | Default | Extra |
|------------|--------|------|-----|---------|-------|
| altversion | int(8) | NO | PRI | | |
| movie | int(8) | YES | | NULL | |

2 rows in set (0.03 sec)

mysql> describe certificate;

| Field | Type | Null | Key | Default | Extra |
|-------|------|------|-----|---------|-------|
|-------|------|------|-----|---------|-------|

TablesDescription.txt

| Field | Type | Null | Key | Default | Extra |
|---------|--------------|------|-----|---------|-------|
| country | varchar(200) | NO | PRI | | |
| movie | int(8) | NO | PRI | 0 | |
| type | varchar(100) | NO | PRI | | |

4 rows in set (0.14 sec)

mysql> describe cinematographer;

| Field | Type | Null | Key | Default | Extra |
|---------|--------------|------|-----|---------|-------|
| name | varchar(200) | NO | PRI | | |
| surname | varchar(200) | NO | PRI | | |

2 rows in set (0.05 sec)

mysql> describe cinematographyby;

| Field | Type | Null | Key | Default | Extra |
|------------------|--------------|------|-----|---------|-------|
| movie | int(8) | NO | PRI | | |
| cinematographerN | varchar(200) | YES | | NULL | |
| cinematographers | varchar(200) | YES | | NULL | |

3 rows in set (0.03 sec)

mysql> describe composer;

| Field | Type | Null | Key | Default | Extra |
|---------|--------------|------|-----|---------|-------|
| name | varchar(200) | NO | PRI | | |
| surname | varchar(200) | NO | PRI | | |

2 rows in set (0.08 sec)

mysql> describe country;

| Field | Type | Null | Key | Default | Extra |
|-------|--------------|------|-----|---------|-------|
| name | varchar(200) | NO | PRI | | |

1 row in set (0.05 sec)

mysql> describe country2sfx;

| Field | Type | Null | Key | Default | Extra |
|------------|--------------|------|-----|---------|-------|
| sfxcompany | varchar(200) | NO | PRI | | |
| country | varchar(200) | YES | | NULL | |

2 rows in set (0.06 sec)

mysql> describe crazycredit;

| Field | Type | Null | Key | Default | Extra |
|--------|----------|------|-----|---------|-------|
| id | int(8) | NO | PRI | | |
| credit | longtext | YES | | NULL | |

2 rows in set (0.03 sec)

mysql> describe crazycredit2movie;

| Field | Type | Null | Key | Default | Extra |
|--------|--------|------|-----|---------|-------|
| credit | int(8) | NO | PRI | | |
| movie | int(8) | YES | | NULL | |

TablesDescription.txt

2 rows in set (0.17 sec)

mysql> describe designer;

| Field | Type | Null | Key | Default | Extra |
|---------|--------------|------|-----|---------|-------|
| name | varchar(200) | NO | PRI | | |
| surname | varchar(200) | NO | PRI | | |

2 rows in set (0.08 sec)

mysql> describe designer2movie;

| Field | Type | Null | Key | Default | Extra |
|-----------|--------------|------|-----|---------|-------|
| designerN | varchar(200) | NO | PRI | | |
| designerS | varchar(200) | NO | PRI | | |
| movie | int(8) | NO | PRI | 0 | |

3 rows in set (0.05 sec)

mysql> describe directedby;

| Field | Type | Null | Key | Default | Extra |
|-----------|--------------|------|-----|---------|-------|
| movie | int(8) | NO | PRI | | |
| directorN | varchar(200) | YES | | NULL | |
| directorS | varchar(200) | YES | | NULL | |

3 rows in set (0.05 sec)

mysql> describe director;

| Field | Type | Null | Key | Default | Extra |
|---------|--------------|------|-----|---------|-------|
| name | varchar(200) | NO | PRI | | |
| surname | varchar(200) | NO | PRI | | |

2 rows in set (0.09 sec)

mysql> describe distributed;

| Field | Type | Null | Key | Default | Extra |
|-------------|--------------|------|-----|---------|-------|
| distributor | varchar(200) | NO | PRI | | |
| movie | int(8) | NO | PRI | 0 | |

2 rows in set (0.44 sec)

mysql> describe distributor;

| Field | Type | Null | Key | Default | Extra |
|-------|--------------|------|-----|---------|-------|
| name | varchar(200) | NO | PRI | | |

1 row in set (0.03 sec)

mysql> describe distributor2country;

| Field | Type | Null | Key | Default | Extra |
|-------------|--------------|------|-----|---------|-------|
| distributor | varchar(200) | NO | PRI | | |
| country | varchar(200) | YES | | NULL | |

2 rows in set (0.11 sec)

mysql> describe editby;

TablesDescription.txt

| Field | Type | Null | Key | Default | Extra |
|---------|--------------|------|-----|---------|-------|
| movie | int(8) | NO | PRI | | |
| editorN | varchar(200) | YES | | NULL | |
| editors | varchar(200) | YES | | NULL | |

3 rows in set (0.06 sec)

mysql> describe editor;

| Field | Type | Null | Key | Default | Extra |
|---------|--------------|------|-----|---------|-------|
| name | varchar(200) | NO | PRI | | |
| surname | varchar(200) | NO | PRI | | |

2 rows in set (0.05 sec)

mysql> describe goof;

| Field | Type | Null | Key | Default | Extra |
|-------|----------|------|-----|---------|-------|
| id | int(8) | NO | PRI | | |
| goof | longtext | YES | | NULL | |

2 rows in set (0.09 sec)

mysql> describe goof2movie;

| Field | Type | Null | Key | Default | Extra |
|-------|--------|------|-----|---------|-------|
| goof | int(8) | NO | PRI | | |
| movie | int(8) | YES | | NULL | |

2 rows in set (0.09 sec)

mysql> describe itakatitle;

| Field | Type | Null | Key | Default | Extra |
|-------|--------------|------|-----|---------|-------|
| title | varchar(200) | NO | PRI | | |

1 row in set (0.11 sec)

mysql> describe key2movie;

| Field | Type | Null | Key | Default | Extra |
|---------|--------------|------|-----|---------|-------|
| movie | int(8) | NO | PRI | 0 | |
| keyword | varchar(200) | NO | PRI | | |

2 rows in set (0.03 sec)

mysql> describe keyword;

| Field | Type | Null | Key | Default | Extra |
|-------|--------------|------|-----|---------|-------|
| word | varchar(200) | NO | PRI | | |

1 row in set (0.08 sec)

mysql> describe lang2movie;

| Field | Type | Null | Key | Default | Extra |
|----------|--------------|------|-----|---------|-------|
| movie | int(8) | NO | PRI | 0 | |
| language | varchar(200) | NO | PRI | | |

TablesDescription.txt

2 rows in set (0.00 sec)

mysql> describe language;

| Field | Type | Null | Key | Default | Extra |
|-------|--------------|------|-----|---------|-------|
| name | varchar(200) | NO | PRI | | |

1 row in set (0.00 sec)

mysql> describe located;

| Field | Type | Null | Key | Default | Extra |
|----------|--------------|------|-----|---------|-------|
| location | varchar(200) | NO | PRI | | |
| movie | int(8) | NO | PRI | 0 | |

2 rows in set (0.00 sec)

mysql> describe location;

| Field | Type | Null | Key | Default | Extra |
|---------|--------------|------|-----|---------|-------|
| city | varchar(200) | NO | PRI | | |
| country | varchar(200) | NO | PRI | | |

2 rows in set (0.05 sec)

mysql> describe movies;

| Field | Type | Null | Key | Default | Extra |
|--------------|--------------|------|-----|---------|-------|
| id | int(8) | NO | PRI | | |
| title | longtext | YES | | NULL | |
| year | varchar(100) | YES | | NULL | |
| runtimes | varchar(100) | YES | | NULL | |
| sound | varchar(100) | YES | | NULL | |
| genre | varchar(100) | YES | | NULL | |
| colortype | varchar(100) | YES | | NULL | |
| crewcoverage | varchar(100) | YES | | NULL | |
| castcoverage | varchar(100) | YES | | NULL | |
| votes | int(8) | YES | | NULL | |
| rank | float | YES | | NULL | |
| mpaa | longtext | YES | | NULL | |

11 rows in set (0.14 sec)

mysql> describe moviesaka;

| Field | Type | Null | Key | Default | Extra |
|----------|--------------|------|-----|---------|-------|
| akatitle | varchar(200) | NO | PRI | | |
| movie | int(8) | YES | | NULL | |

2 rows in set (0.03 sec)

mysql> describe moviesitaka;

| Field | Type | Null | Key | Default | Extra |
|------------|--------------|------|-----|---------|-------|
| itakatitle | varchar(200) | NO | PRI | | |
| movie | int(8) | YES | | NULL | |

2 rows in set (0.03 sec)

mysql> describe musicby;

| Field | Type | Null | Key | Default | Extra |
|-------|------|------|-----|---------|-------|
|-------|------|------|-----|---------|-------|

TablesDescription.txt

| | | | | | |
|-----------|--------------|----|-----|---|--|
| composerN | varchar(200) | NO | PRI | | |
| composerS | varchar(200) | NO | PRI | | |
| movie | int(8) | NO | PRI | 0 | |

3 rows in set (0.06 sec)

mysql> describe plot;

| Field | Type | Null | Key | Default | Extra |
|--------|--------------|------|-----|---------|-------|
| id | int(8) | NO | PRI | | |
| plot | longtext | YES | | NULL | |
| author | varchar(200) | YES | | NULL | |

3 rows in set (0.03 sec)

mysql> describe plot2movie;

| Field | Type | Null | Key | Default | Extra |
|-------|--------|------|-----|---------|-------|
| plot | int(8) | NO | PRI | | |
| movie | int(8) | YES | | NULL | |

2 rows in set (0.03 sec)

mysql> describe prodby;

| Field | Type | Null | Key | Default | Extra |
|-----------|--------------|------|-----|---------|-------|
| producerN | varchar(200) | NO | PRI | | |
| producerS | varchar(200) | NO | PRI | | |
| movie | int(8) | NO | PRI | 0 | |

3 rows in set (0.11 sec)

mysql> describe prodcompany;

| Field | Type | Null | Key | Default | Extra |
|-------|--------------|------|-----|---------|-------|
| name | varchar(200) | NO | PRI | | |

1 row in set (0.05 sec)

mysql> describe prodcompany2country;

| Field | Type | Null | Key | Default | Extra |
|-------------|--------------|------|-----|---------|-------|
| prodcompany | varchar(200) | NO | PRI | | |
| country | varchar(200) | YES | | NULL | |

2 rows in set (0.11 sec)

mysql> describe prodcompany2movie;

| Field | Type | Null | Key | Default | Extra |
|-------------|--------------|------|-----|---------|-------|
| prodcompany | varchar(200) | NO | PRI | | |
| movie | int(8) | NO | PRI | 0 | |

2 rows in set (0.03 sec)

mysql> describe proddesignby;

| Field | Type | Null | Key | Default | Extra |
|---------------|--------------|------|-----|---------|-------|
| movie | int(8) | NO | PRI | | |
| proddesignerN | varchar(200) | YES | | NULL | |

TablesDescription.txt

```
| proddesigners | varchar(200) | YES | | NULL | |
+-----+-----+-----+-----+-----+-----+
3 rows in set (0.06 sec)
```

mysql> describe proddesigner;

| Field | Type | Null | Key | Default | Extra |
|---------|--------------|------|-----|---------|-------|
| name | varchar(200) | NO | PRI | | |
| surname | varchar(200) | NO | PRI | | |

2 rows in set (0.05 sec)

mysql> describe producer;

| Field | Type | Null | Key | Default | Extra |
|---------|--------------|------|-----|---------|-------|
| name | varchar(200) | NO | PRI | | |
| surname | varchar(200) | NO | PRI | | |

2 rows in set (0.09 sec)

mysql> describe releasein;

| Field | Type | Null | Key | Default | Extra |
|---------|--------------|------|-----|---------|-------|
| movie | int(8) | NO | PRI | | |
| country | varchar(200) | NO | PRI | | |
| date | varchar(200) | YES | | NULL | |

3 rows in set (0.03 sec)

mysql> describe sfxby;

| Field | Type | Null | Key | Default | Extra |
|------------|--------------|------|-----|---------|-------|
| sfxcompany | varchar(200) | NO | PRI | | |
| movie | int(8) | NO | PRI | 0 | |

2 rows in set (0.05 sec)

mysql> describe sfxcompany;

| Field | Type | Null | Key | Default | Extra |
|-------|--------------|------|-----|---------|-------|
| name | varchar(200) | NO | PRI | | |

1 row in set (0.03 sec)

mysql> describe shotin;

| Field | Type | Null | Key | Default | Extra |
|---------|--------------|------|-----|---------|-------|
| country | varchar(200) | NO | PRI | | |
| movie | int(8) | NO | PRI | 0 | |
| year | varchar(100) | YES | | NULL | |

3 rows in set (0.03 sec)

mysql> describe soundtrack;

| Field | Type | Null | Key | Default | Extra |
|----------|--------------|------|-----|---------|-------|
| name | varchar(200) | NO | PRI | | |
| writer | varchar(200) | YES | | NULL | |
| composer | varchar(200) | YES | | NULL | |
| musician | varchar(200) | YES | | NULL | |

TablesDescription.txt

4 rows in set (0.06 sec)

mysql> describe tag;

| Field | Type | Null | Key | Default | Extra |
|-------|----------|------|-----|---------|-------|
| id | int(8) | NO | PRI | | |
| tag | longtext | YES | | NULL | |

2 rows in set (0.05 sec)

mysql> describe tag2movie;

| Field | Type | Null | Key | Default | Extra |
|-------|--------|------|-----|---------|-------|
| tag | int(8) | NO | PRI | | |
| movie | int(8) | YES | | NULL | |

2 rows in set (0.05 sec)

mysql> describe tracklist;

| Field | Type | Null | Key | Default | Extra |
|------------|--------------|------|-----|---------|-------|
| soundtrack | varchar(200) | NO | PRI | | |
| movie | int(8) | NO | PRI | 0 | |

2 rows in set (0.03 sec)

mysql> describe trivia;

| Field | Type | Null | Key | Default | Extra |
|--------|----------|------|-----|---------|-------|
| id | int(8) | NO | PRI | | |
| trivia | longtext | YES | | NULL | |

2 rows in set (0.05 sec)

mysql> describe trivia2movies;

| Field | Type | Null | Key | Default | Extra |
|--------|--------|------|-----|---------|-------|
| trivia | int(8) | NO | PRI | | |
| movie | int(8) | YES | | NULL | |

2 rows in set (0.03 sec)

mysql> describe writer;

| Field | Type | Null | Key | Default | Extra |
|---------|--------------|------|-----|---------|-------|
| name | varchar(200) | NO | PRI | | |
| surname | varchar(200) | NO | PRI | | |

2 rows in set (0.03 sec)

mysql> describe writerby;

| Field | Type | Null | Key | Default | Extra |
|---------|--------------|------|-----|---------|-------|
| writerN | varchar(200) | NO | PRI | | |
| writers | varchar(200) | NO | PRI | | |
| movie | int(8) | NO | PRI | 0 | |

3 rows in set (0.03 sec)

mysql> describe movieLinks;

| Field | Type | Null | Key | Default | Extra |
|-------|------|------|-----|---------|-------|
|-------|------|------|-----|---------|-------|

TablesDescription.txt

| Field | Type | Null | Key | Default | Extra |
|-------|--------|------|-----|---------|-------|
| link | int(8) | NO | PRI | | |
| movie | int(8) | YES | | NULL | |

2 rows in set (0.11 sec)

mysql> describe link;

| Field | Type | Null | Key | Default | Extra |
|---------------|--------------|------|-----|---------|-------|
| id | int(8) | NO | PRI | | |
| featured_in | varchar(200) | YES | | NULL | |
| referenced_in | varchar(200) | YES | | NULL | |
| spin | varchar(200) | YES | | NULL | |
| spoofed | varchar(200) | YES | | NULL | |
| version | varchar(200) | YES | | NULL | |
| followed | varchar(200) | YES | | NULL | |
| features | varchar(200) | YES | | NULL | |
| remake | varchar(200) | YES | | NULL | |
| follows | varchar(200) | YES | | NULL | |
| ref | varchar(200) | YES | | NULL | |

11 rows in set (0.02 sec)