

Written exams of Robotics 2

http://www.diag.uniroma1.it/deluca/rob2_en.html

All materials are in English, unless indicated (oldies are in Italian)

Year	Date (mm.dd)	Number of exercises	Topics	Notes
2021	09.10	3	Deceleration control for a planar 3R redundant robot under input bounds*; Cartesian inertia matrix for the same planar 3R redundant robot*; Impedance control design for a 2-dof Cartesian robot without F/T sensing	solutions; MATLAB codes
2021	07.12	3	Two acceleration control problems for a planar 3R robot under input bounds; Modeling and analysis of an incipient blocking actuator fault in a robot; Dynamic modeling and adaptive control of a planar RPR robot, with partially known dynamic parameters	solutions
2021	06.11	5	Weighted pseudoinverse using the pinv function of MATLAB*; Dynamic model of an elastically suspended link and two related dynamic problems; Guessing a robotic structure from inertial and gravity terms (a 3P portal robot); Transformation of generalized forces in two systems of coordinates (planar 3R); Trajectory tracking using feedback linearization along a circle, with transient behaviors specified in a time-varying task frame	solutions; MATLAB code
2021	04.14 (Remote Midterm Test)	3	Dynamics of a planar 2R robot under gravity whose links have a non-symmetric CoM, with its linear parameterization; Comparative methods of redundancy resolution at the velocity level in a planar 3R robot performing 2 tasks, possibly with priority: pseudoinversion of the Extended Jacobian, damped least squares on the Extended Jacobian, task priority method; Minimum time motion under bounded inputs for a PR robot tracing a circular path	solutions

2021	02.04 (Remote)	4	Inertia and gravity terms of a RRPR robot, with their linear parameterization; Minimum-time motion on a linear path for two cooperating Cartesian robots under motor torque bounds; Dynamic self-motion task for a 3R robot with null-space projection or joint space decomposition; 1-dof force regulation with zero error (using PI control) for a rigid robot and a rigid environment	solutions
2021	01.12 (Remote)	5	Kinematic control in a self-motion task for a redundant planar 3R robot so as to minimize the potential energy due to gravity; Torque control for the same planar 3R robot and self-motion task; Dynamic model of a polar RR robot; Two dynamic problems for the same polar RR robot: analysis of a steady-state condition and minimal linear parametrization; Collision detection, isolation and identification for a PPR robot in the horizontal plane	solutions
2020	10.23 (Remote)	4	Regressor for adaptive control of a PR robot moving on a horizontal plane; Minimum weighted torque solutions for 1-dimensional task of the same PR robot; Sufficient conditions for asymptotic stability of a PD plus gravity compensation law on the same PR robot in the vertical plane; Definition of a force-motion hybrid task for a sphere rolling on a plane while following a desired trajectory of the contact point	---
2020	09.11 (Remote)	5	Control formulation for the simultaneous trajectory execution and obstacle avoidance of a planar 3R robot arm; Interaction matrix for the geometric barycenter of three point-features in IBVS, with null space computation; Cartesian inertia matrix of a RP robot, with tip acceleration in response to a force; Reduced dynamics for a planar 3R robot under Cartesian constraints on last link; Comparison of torques between feedback linearization and global Lyapunov-based trajectory tracking control laws	solutions

2020	07.15 (Remote)	5	Inertia matrix of a 4-dof (PRRR) planar robot using absolute coordinates; Task augmented Jacobian for two tasks (on the same 4-dof robot) with minimum norm solutions and analysis of algorithmic singularity; Natural and artificial constraints for a hybrid task of moving a cylinder on a plane; Uniform time scaling to recover torque feasibility for a 2R robot under gravity; Three questions on regulation controllers with specified asymptotic or exponential transients for the errors	solutions
2020	06.05 (Remote)	5	SNS algorithm under velocity bounds for a 3R robot; Analysis of physical conditions for a 2-dof dynamic model; Bound on the gradient of the gravity term for an RP robot under gravity with limited range of the prismatic joint; Dynamic modeling and adaptive control for a 2P robot in the vertical plane with joint friction and payload; Natural and artificial constraints for the hybrid task of closing a door	solutions
2020	04.15 (Remote Midterm Test)	Q 10	Questionnaire with 10 questions, with replies to be elaborated*	solutions; MATLAB codes (for Q2 to Q9)
2020	02.12	3	Dynamic model of a planar RPR robot under gravity, linear parametrization of the gravity vector, bound on its gradient; and adaptive control design; Two redundancy resolution problems for the same robot above, assuming joint velocity as input; A 1-dof force control problem with combinations of P, I and feedforward laws	---
2020	01.07	2	Dynamic model of a spatial PRR robot, linear parametrization, and adaptive control design; Questionnaire with 4 questions	---

2019	09.11	3	Control law to assign a desired dynamic behavior to the robot kinetic energy in the closed-loop system, with application to a 3R robot moving on the horizontal plane; Minimum-time motion under joint torque/force bounds for a RP planar arm moving its end-effector along a circular path; Impact of two masses, with conservation of kinetic energy and total momentum	solutions
2019	07.11	3	Task priority control of a 3R planar robot for two tasks, with analysis of their compatibility*; Residual vector computation for collision detection and isolation in a RP planar robot; Minimum-time motion under torque bound for an actuated pendulum under gravity on a special class of trajectories with bang-coast-bang acceleration profile*	solutions; MATLAB codes
2019	06.17	6	Gravity term in the dynamic model of the 6-dof Kawasaki S030 robot (with simplified assumptions); Check for a 3x3 matrix to be an inertia matrix; Comparison of Jacobian pseudoinverse and Jacobian transpose velocity commands in redundant robots; Assignment of a linear and decoupled Cartesian error dynamics to a 2R robot in a regulation task; Natural and artificial constraints in a hybrid force-velocity control task formulation	solutions
2019	04.29 (Midterm Test in classroom)	5	Check for 2x2 matrices to be inertia matrices; Dynamic model of a PRP planar robot and its linear parametrization; Gravity term in the dynamic model of a nR planar robot, with equilibrium conditions and balancing conditions; Factorizations of the Coriolis/centrifugal terms of a 2-dof robot and a 3-dof robot; Execution of a one-dimensional task with a 2R robot, with minimization of its kinetic energy;	solutions

			Acceleration resolution for a redundant 3R planar robot, under hard joint acceleration constraints	
2018	07.11	4	Inertia matrix and its linear parametrization for a 2R planar robot with elastic joints; Saturated solution for a 4R planar robot executing a Cartesian acceleration under joint acceleration bounds (variant of the SNS algorithm); Interaction matrix for the average position of n point features; Reduced dynamics of a robot under the geometric constraint that a subset of coordinates is constant ($\mathbf{q}_b = \mathbf{q}_{bd}$)	solutions
2018	06.11	3	Explicit expression of the dynamic terms in the residual vector for collision detection and isolation in a RP robot moving in the vertical plane, and analysis of the possible issues in detection/isolation; Adaptive control law for a 1-dof actuated pendulum, when also the current-to-torque drive gain is unknown; Feedback/feedforward control schemes for force regulation of a mass in contact through a load cell with a stiff environment: equilibria and stability analyses	solutions
2018	04.26 (Midterm Test in classroom)	4	Dynamic model of a 2P2R planar robot under gravity and its linear parametrization*; Factorizations of the Coriolis/centrifugal terms in a planar 2R robot plus an inverse dynamics problem for the same robot*; General derivation of the Hamiltonian model equations of a robot manipulator, using generalized coordinates q and generalized momentum p as state variables; Minimum norm velocity solution for a (redundant) PPR planar robot with the associated unit inconsistency problem, and use of a weighted pseudoinversion to resolve the issue*	solutions; MATLAB codes
2018	03.27	2	Dynamic model, linear parametrization, approximate linearization and partial feedback linearization control of a 2-dof automated crane (with passive swinging link/payload);	solutions

			PPR planar robot with end-effector in contact with a linear, frictionless surface: nominal commands for a hybrid force/velocity dynamic task addressing also robot redundancy	
2018	02.05	3	Formulation of the task Jacobian and of the related kinematic control problem when the task function is the norm of the task error, and its application to a visual servoing problem with two point-features; Dynamic model of a PRP (cylindrical-like) robot, with a horizontal first prismatic axis, and adaptive trajectory tracking control design; Iterative learning control of an actuated pendulum (single-link under gravity), with convergence analysis of the PD feedback plus (updated) feedforward law	solutions
2018	01.11	3	Redundancy resolution schemes for a planar RP robot in a one-dimensional task; Lagrangian dynamics, analysis, and nonlinear control of a Boulton-Watt centrifugal regulator; Impedance and force control design alternatives for a single mass subject to an external force	solutions
2017	10.27	1 (4 parts)	Definition of four different optimization schemes for redundant robots by local minimization of suitable norms (with application of the first two schemes to a planar RP robot): generalized momentum difference; velocity difference with respect to the (anti)gradient of a function; torque; weighted combination of torque and task acceleration error	---
2017	09.21	2	Dynamics of RP robot in a tilted plane, with computation of the maximum and minimum norm of the tip acceleration as function of the configuration, when starting at rest and under bounds on the command inputs; Definition of control laws and transition conditions among states for a robot operating in the presence of a human, with a Cartesian trajectory task in normal conditions and detection/reaction to mild or severe collisions	solutions
2017	07.11	3	Dynamic terms of an RPP (cylindrical) robot used in a tracking control law; Derivation of a reduced dynamics model and control of a Cartesian 2P robot in a vertical plane, with its end-effector motion being constrained to a linear surface;	solutions

			Steady-state analysis of a planar 3R robot under a Cartesian position regulation law, while in contact with an obstacle: equilibrium control torques, torques at the joints due to contact, momentum-based residual, and estimation of the Cartesian contact force	
2017	06.06	3	Inverse differential solution with minimum norm of the joint jerk for a 3R planar robot using absolute coordinates (nominal case and feedback control to correct initial mismatch with Cartesian trajectory)*; Choice of PD gains in a regulation control law with gravity cancelation for the same 3R planar arm of Ex#1 and under joint torque bounds; Dynamic model of a PRP planar robot, with factorization of the quadratic velocity terms, equilibrium configurations, and linear bound on the Hessian of the potential energy due to gravity*	solutions; MATLAB codes
2017	05.29 (Final Test in classroom)	4	Presentation of known regulation control laws in the presence of gravity, with two more specific questions; Interaction matrix for a point feature in an IBVS problem when using polar coordinates in the image plane, and its characteristics*; Gravity term and its parametrization in an adaptive trajectory tracking controller for a PRP planar robot when the other inertial parameters are already known; Definition of task frame and of natural and artificial constraints for a hybrid force/motion control of a robotized surface polishing task	solutions; MATLAB code
2017	03.29 (Midterm Test in classroom)	5	Inertia matrix of a 3R spatial robot and its linear parametrization*; Proof of a weighted pseudoinverse in case of rank deficiency of the Jacobian; Saturated solution for a 4R planar robot executing a Cartesian velocity under joint velocity bounds (SNS algorithm)*; Reduced Gradient and Task Augmented solutions for a 3R planar robot*; Calibration equations for a 2R planar robot with uncertain parameters*	solutions; MATLAB codes

2017	01.11	3	Interpretation of the inertia matrix and all possible regulation control laws for a 2R robot, with their design conditions and convergence/stability properties; Use of recursive Newton-Euler algorithm for computing kinematic quantities (similar to Ex#2, 22.09.2014); Redundancy resolution for planar 3R robot at the velocity level in the presence of an obstacle (same as Ex#1, 10.06.2014)	---
2016	10.28	2	Inertia matrix and gravity vector (with equilibrium configurations) of a RP robot in a vertical plane, with second prismatic joint axis skewed; Dynamic modeling, determination of unforced equilibrium states and of steady-state conditions under constant input force, and regulation control for a mechanical system of three masses interconnected by springs with viscous friction	solutions
2016	09.12	2	Inertia matrix and gravity vector (with equilibrium configurations) of a RPR robot in a vertical plane; Dynamic modeling and determination of the equilibrium states for a mechanical system of two masses interconnected by a nonlinear spring	solutions
2016	07.11	3	Dynamic model of a planar 2R robot in absolute coordinates and input torque transformation; Task frame and natural/virtual constraints definition for a square peg-in-hole insertion; Compliance and force control laws in one contact direction, with robustness analysis	solutions
2016	06.06	2	Dynamic modeling of a polar 2R robot and its adaptive trajectory tracking control law; All possible regulation control laws for this robot, with their design conditions and stability properties	only solution to Ex#1
2016	06.01 (Final Test in classroom)	1 (4 parts)	Planar 2R robot subject to a single holonomic constraint: reduced dynamic model and its features; equilibrium torques (and associated constraint force); simulation set-up for the reduced model; hybrid force/motion control task	solution
2016	04.13	3	Inertia matrix and Coriolis/centrifugal terms of a planar PRR robot;	solutions

	(Midterm Test in classroom)		Gravity vector, its linear parametrization, equilibria and mechanical balance of a planar 4R robot; Singularities of a planar 4R robot for position/orientation tasks, and a joint velocity solution minimizing the distance from the joint range midpoints	
2015	04.15	2	Equilibrium configurations, approximate linearization, and regulation control of RP robot; Motion of a planar 3R robot using redundancy to avoid Cartesian obstacles	modified from 2006.07.13 (in Italian)
2014	10.27	2	Expression of the residual for collision detection and isolation in a planar PRR; Maximum contact force in norm applied at the tip of the planar PRR robot that can be balanced in the presence of hard bounds on the actuator torques	solutions
2014	09.22	2	Dynamic model of a DC motor with elastic transmission, planning of a rest-to-rest trajectory, and its inverse dynamics solution; Use of recursive Newton-Euler algorithm for computing end-effector differential kinematic quantities	---
2014	07.15	1	Analysis of gravity terms and unforced equilibrium configurations for a KUKA LWR with last three joints frozen	---
2014	06.10	2	Redundancy resolution for planar 3R robot at the velocity level in the presence of an obstacle; Dynamic modeling and control of a two-mass system under gravity and with an elastic transmission	---
2014	04.02	2	Definition of kinematic controllers for the two-arm Justin robot; Acceleration analysis for a planar 3R robot subject to an end-effector force	---
2013	09.19	1	Inertia matrix and acceleration analysis for a planar RPPR robot	---
2013	07.15	1	Analysis and estimation of a contact force in three different cases for a planar 3R robot	solution
2013	06.10	1	Kinetic energy using the recursive algorithm with moving frames, inertia matrix and its linear parametrization for a 4-dof robot for which only the DH table is given	---
2013	02.06	1	Reduced dynamic model for a planar RP arm, with its end-effector constrained on a line, and associated hybrid force/motion regulation law	solution

2013	01.09	2	Jacobians for two tasks, algorithmic singularities, and task priority solution for a planar 3R arm; Constrained dynamic model for a planar RP arm, with its end-effector constrained on a line	solutions
2012	07.05	1 (2 parts + bonus)	Dynamics of a 3-dof portal robot for aeronautical industry; Controller for a regulation task; (bonus) Generalized coordinates for the closed kinematic loop	solution
2012	06.11	2	Null space of visual interaction matrix for a point feature (MATLAB code included); Regulation task for a planar 3R robot subject to a contact force	solutions
2011	09.12	1	Gravity balance and PD + constant gravity compensation of a 2R robot in the vertical plane with an additional payload	solution
2011	07.04	1	Dynamic modeling and feedback/feedforward force regulation of a two-mass, two-spring system	---
2011	06.17	1	Collision reaction for a 2R planar robot and use of the residual	solution
2010	09.15	1	Inertia matrix and its minimal linear parameterization for a planar RPR robot	solution
2010	07.07	1	Dynamic model of a two-mass/spring/damper system and analysis of a contact force loop	solution
2010	06.15	1	Dynamic model of RP under gravity and minimum torque solution for a one-dimensional acceleration task	solution
2009	09.10	2	Dynamic control of a linear Cartesian trajectory with decoupled error along the tangential and normal directions to the path; Uniform scaling of unfeasible trajectory with respect to torque constraints (without gravity) (in Italian)	solutions (in Italian)
2009	07.10	2	Feasible acceleration region for a 2R planar robot with torque constraints; Definition of natural and artificial constraints for a hybrid task and its realizability with a SCARA robot (in Italian)	solutions (in Italian)

2009	06.10	2	Inertia matrix of a planar PRP robot; Solution with minimum weighted norm of the torque and dynamic control in the task space for redundant robots (in Italian)	solutions (in Italian)
2008	09.11	1	Adaptive control of planar 2R robot with payload and minimal parameterization (in Italian)	sketch of solution (in Italian)
2008	03.20	1	Dynamic model of planar PRR robot under gravity and linear parameterization (in Italian)	---
2007	09.13	2	General structure of the minimal parameterization of the gravity term for planar nR robots; Hybrid task of surface finishing on a sphere with a 3P or 3R robot (in Italian)	---
2007	04.19	2	Dynamic model of PRP robot under gravity; Robot regulation control with assignment of linear error dynamics (in Italian)	solutions (in Italian)
2007	03.23	2	Redundancy resolution for the two-arm DLR Justin robot; Lagrangian dynamic model of a visco-elastic robot joint (in Italian)	---
2006	09.11	1	Planar 3R robot: inertia matrix, optimization of manipulability, minimum norm joint velocity computation (in Italian)	---
2006	07.13	2	Equilibrium configurations and approximate linearization of RP robot; Motion of a planar 3R robot among obstacles with Cartesian artificial potentials (in Italian)	---
2006	06.30	2	End-effector forces and torque at second joint that produce zero acceleration at the joints of a planar 3R robot under gravity; Voronoi diagram (in Italian)	only solution to ex #2 (in Italian)
2005	09.22	1	Kinematic control of a mobile manipulator (unicycle + single link arm) (in Italian)	---

2005	04.14	1 (two parts)	Dynamic model of a polar 2R robot; regulation with PD plus constant gravity compensation law (in Italian)	---
2005	04.05	2	Dynamic model of a planar RP robot, equilibrium configurations under gravity, minimal parameterization and adaptive control; Stabilization of a linear mass in the presence of limited motion range, using artificial potentials (Lyapunov proof) (in Italian)	solutions (in Italian)
2004	04.06	1	Motion planning with approximate cell decomposition (in Italian)	solution (in Italian)
2004	03.25	1	Dynamic model of an offset RP robot under gravity, adaptive control, partial feedback linearization of the first joint dynamics when the second joint is passive (or vice versa) (in Italian)	solution (in Italian)

Note: For these* problems, MATLAB codes for computing solutions and/or for graphics are either embedded in the solution text or available to the students of the course upon request (contact deluca@diag.uniroma1.it).